Report title Indicator GHG Emission Report, v1.1 1.21.4

Instructions

This template is intended for reporting greenhouse gas emissions results to ASC. The Feed Standard does not prescribe a specific standard or set of methods for generating GHG values. However, suppliers should be aware that the development of the Farm Standard requirements may necessitate the application of specific methods for feed emissions in the future.

Emissions can be reported in either or both columns using a biophysical or economic allocation approach. Emissions results must be provided according to scope (1-3) as well as by input/activity, being general feed ingredient categories and additional transport and milling emissions that aren't otherwise captured within ingredients. 'Transport and milling' emissions should be at least equal to the sum of scope 1 and scope 2 emissions. If possible, emissions should also be broken down by category (fossil, biogenic, or land use change), facilitated by certain databases and assessment methods. Any uncategorized emissions should be reported as 'Unspecified emissions' (If feed suppliers are unable to determine emissions by category, the total of all emissions can be reported as unspecified).



This template is also expected to reflect the resolution of data that feed suppliers will need to provide to farms to satisfy feed-related emissions modeling for the Farm Standard. Feed suppliers should be ready to adjust the composition of ingredients used in calculations to reflect typical compositions of feeds relevant to each producer, whether

Table 1. Production year

Year of production (yyyy)

2023

Table 2. GHG emissions by scope

Emissions scope

Scope 1

Scope 2 Scope 3

Total

GHG emissions per tonne of ASC compliant feed (kg CO₂-eq/t)

	Economic model	Biophysical (mass) model
19		18.507
122		119.096
1039.1		2329.054
1180.1		2466.657

Table 3. GHG emissions by category

Emissions category

Fossil emissions

Biogenic emissions

Land use change emissions

Unspecified emissions

Total

Biophysical (mass) model	Economic model		
1941.664	961.7		
25.144	3.1		
499.849	215.4		
0	0		
2466.657	1180.2		

Table 4. GHG emission by Input / Activity

Input / Activity	Quantity (kg/t)	Biophysical (mass) model	Economic model
Soy crop inputs	60	163.3663	211.3041
Other crop inputs	350	257.5914	275.3887
Reduction fishery inputs	160	152.9781	150.2758
Fishery by-product inputs	340	852.5058	169.0111
Poultry / livestock inputs	90	774.5825	104.9082
Other feed inputs	0	0	0
Transport and milling		265.6366	265.6366
Total	1000	2466.6607	1176.5245

Notes

All emissions values must be reported in units of kg CO2-equivalent per tonne of ASC compliant feed.

Emissions totals for each section should be equivalent.

Total feed input quantity (kg/t) must equal 1000. Use 'Other feed inputs' to make up any difference from 1000 kg. 'Other feed inputs' should also include vitamins, amino acids, and other microingredients.

Transport-related emissions may be difficult to separate from ingredient production and processing emissions, depending on the data source used. Do not include any transport emissions in 'Transport and milling' that are already counted in the emissions of one of the ingredient groups.